




INSTALLATION

LIFESTYLEBOARD SPA



LIFE STYLE BOARD | SPA

INSTALLATION INSTRUCTIONS

With **LIFESTYLBOARD SPA**, large area wall coverings can be manufactured quickly and easily in completely individual designs.

It is processed with traditional wood and metal machining machines such as circular or jig saws.

Large panel sizes can be fitted together better with two people.



1. CHECK

Check the structural prerequisites. The substrate must be sufficiently stable and dry. The panel joints should lay flat.

2. TAKE MEASUREMENTS

Calculation of all necessary sizes for the cutting of the panels.



3. TRANSFERRING

Transfer the measured size on to the plates. The drilling centre point is marked for drilling.

4. CUTTING TO SIZE

For straight cuts, cutting to size is best done using a guide rail and a fine-tooth, carbide-tipped circular saw. Cut-outs can be pre-drilled in the corners and then cut out with a fine-tooth saw.



5. DRILLING

Holes for fittings can be best made with a fine-tooth hole saw in the appropriate diameter.



6. APPLYING ADHESIVE TAPE

After the panels joints are transferred to the wall, a double-sided tape is glued on to the wall centrally over the joint.



7. ADJUST

Before removing the protective film from the adhesive tape, the customised panel can be adjusted and, if necessary, refinished.



8. APPLY SILICONE

For gluing, commercially available, acetic acid-free, cross-linked natural stone silicone is applied in stripes onto the wall.



9. MOUNTING

Now, the panel can be attached to the wall surface.



10. SEALING

Seal with commercially available, acetic acid-free cross-linking natural stone silicone. Finished!



CARE AND CLEANING

LIFESTYLEBOARD SPA is abrasion-proof, scratch-resistant, chemical-resistant, colour-stable and suitable for use with foodstuffs.

To protect these surface properties it is permitted to use only water with alkaline detergent (e. g. washing-up liquid) for the cleaning. After that we recommend to wipe off the surface with clear water. Therefore please use only clean and soft cloths or sponges.

It is not allowed to use abrasive cleaning agents (e. g. scouring milk) as well as alcohols and solvents.



ANTIBACTERIAL

On request, the high hygiene standard of our easy care, washable products feature an antibacterial surface finish can be further increased. An appraisal in accordance with ISO 22196 verifies the very high antibacterial activity of our product and opens up new application opportunities for spas, clinics, baths, etc.



MB-Digitalprint GmbH & Co. KG

Gutenbergstraße 1 | D-63924 Kleinheubach
T +49 (0)9371 949898 0 | F +49 (0)9371 949898 90
info@mbdigitalprint.de | www.mbdigitalprint.de